Appln. No. 09/903,813 Applicants: S. Klein et al.

20. (Once amended) A compound having the formula:

$$\begin{array}{c} \begin{array}{c} O \\ \\ X \end{array} \begin{array}{c} O \\ \\ X \end{array} \begin{array}{c} O \\ \\ C \end{array} \begin{array}{c} O \\ \\ H \end{array} \begin{array}{c} O \\ \\ C \end{array} \begin{array}{c} F' \\ \\ H \end{array} \begin{array}{c} C \\ \\ C \end{array} \begin{array}{c} G' \\ \\ G' \end{array} \end{array}$$

wherein X is H or P₃;

B is selected from th group consisting of alkyl, cycloalkyl, cycloalkylalkyl, alkylcycloalkyl, alkylcycloalkylalkyl, aryl, aralkyl, alkylaryl, or alkylaralkyl;

F' is selected from the group consisting of -H, alkyl, hydroxymethyl, 1-hydroxymethyl, mercaptomethyl, 2-methylthioethyl, carboxymethyl, 2-carboxyethyl, aminocarbonylmethyl, 2-aminocarbonylethyl, 4-aminobutyl, 3-aminopropyl, 3-guanidinopropyl, indol-3-ylmethyl, imidazol-3-lymethyl, cycloalkyl, cycloalkylalkyl, cyclohexylcyclohexylmethyl, 1,2,3,4-tetrahydronaphth-5-ylmethyl, alkylcycloalkyl, alkylcycloalkyl, aryl, substituted aryl, aralkyl, substituted aralkyl, heterocyclyl, substituted heterocyclyl, heterocyclylalkyl, substituted heterocyclylalkyl, wherein said heterocylyl is further selected from the group consisting of pyridyl, pyrimidyl and pyrrolidyl;

G' is selected from the group consisting of alkyl, cycloalkyl, cycloalkylalkyl, alkylcycloalkyl, alkylcycloalkyl, aryl, substituted aryl, aralkyl, substituted aralkyl,